

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C12N 15/12, C07K 14/47, 16/18, G01N 33/566, C12Q 1/68, C12N 15/11, 15/62, A01K 67/027, A61K 38/00		A2	(11) International Publication Number: WO 00/58473
			(43) International Publication Date: 5 October 2000 (05.10.00)
(21) International Application Number: PCT/US00/08621 (22) International Filing Date: 31 March 2000 (31.03.00)			(72) Inventors; and (75) Inventors/Applicants (for US only): SHIMKETS, Richard, A. [US/US]; 191 Leete Street, West Haven, CT 06516 (US). LEACH, Martin [GB/US]; 884 School Street, Webster, MA 01570 (US).
(30) Priority Data: 60/127,607 31 March 1999 (31.03.99) US 60/127,636 2 April 1999 (02.04.99) US 60/127,728 5 April 1999 (05.04.99) US 09/540,763 30 March 2000 (30.03.00) US			(74) Agent: ELRIFI, Ivor, R.; Mintz, Levin, Cohn, Ferris, Glovsky and Popeo, P.C., One Financial Center, Boston, MA 02111 (US).
(63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Applications US 60/127,607 (CIP) Filed on 31 March 1999 (31.03.99) US 60/127,636 (CIP) Filed on 2 April 1999 (02.04.99) US 60/127,728 (CIP) Filed on 5 April 1999 (05.04.99) US 09/540,763 (CIP) Filed on 30 March 2000 (30.03.00)			(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
(71) Applicant (for all designated States except US): CURAGEN CORPORATION [US/US]; 555 Long Wharf Drive, 11th Floor, New Haven, CT 06511 (US).			Published <i>Without international search report and to be republished upon receipt of that report.</i>
(54) Title: NUCLEIC ACIDS INCLUDING OPEN READING FRAMES ENCODING POLYPEPTIDES; "ORFX"			
(57) Abstract <p>The present invention provides open reading frames ORFX, encoding isolated polypeptides, as well as polynucleotides encoding ORFX and antibodies that immunospecifically bind to ORFX or any derivative, variant, mutant, or fragment of the ORFX polypeptides, polynucleotides or antibodies. The invention additionally provides methods in which the ORFX polypeptide, polynucleotide and antibody are used in detection and treatment of a broad range of pathological states, as well as to other uses.</p>			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon	KR	Republic of Korea	PL	Poland		
CN	China	KZ	Kazakhstan	PT	Portugal		
CU	Cuba	LC	Saint Lucia	RO	Romania		
CZ	Czech Republic	LJ	Liechtenstein	RU	Russian Federation		
DE	Germany	LK	Sri Lanka	SD	Sudan		
DK	Denmark	LR	Liberia	SE	Sweden		
EE	Estonia			SG	Singapore		

245

250

<210> 5661
 <211> 578
 <212> DNA
 <213> Homo sapiens

<400> 5661
 agagctcgaa ggggccatat gacactcctc ccggacccct ggacacacac agccctgggg
 60
 actggatgcc ttggagcatg caagtccaga gcaccctggg agccctgggtg catggggaccc
 120
 ataaccagtg gcacggcaag gaccagcag gaagcaccag ccactggccc cgacctcccg
 180
 caccaggac ctgacgggca cttagacaca cacagtggcc tgagctccaa ctccagcatg
 240
 accacgctgg agcttcagca gtactggcag aaccagaaat gccgctggaa gcacgtcaaa
 300
 ctgctctttg agatcgcttc agctcgcatc gaggagagaa aagtctctaa gtttgtgatg
 360
 gggaaatcaa ggcttgagga gatgacttat ccagggtcac gtggcgagac agggacagca
 420
 ccagaaccag acccgagatg tccacgtcaa agtgacatgc tctgagaggc agcacacaca
 480
 gaataacctt gcatccaaat tccaggaagc tcttaggggt catccagctg ggcctagggg
 540
 tgcagggtca gtgctgaggc ctgggcaggg ccgctagc
 578

<210> 5662
 <211> 148
 <212> PRT
 <213> Homo sapiens

<400> 5662
 Met Thr Leu Leu Pro Asp Pro Trp Thr His Thr Ala Leu Gly Thr Gly
 1 5 10 15
 Cys Leu Gly Ala Cys Lys Ser Arg Ala Pro Trp Glu Pro Trp Cys Met
 20 25 30
 Gly Pro Ile Thr Gln Cys Thr Ala Arg Thr Gln Gln Glu Ala Pro Ala
 35 40 45
 Thr Gly Pro Asp Leu Pro His Pro Gly Pro Asp Gly His Leu Asp Thr
 50 55 60
 His Ser Gly Leu Ser Ser Asn Ser Ser Met Thr Thr Arg Glu Leu Gln
 65 70 75 80
 Gln Tyr Trp Gln Asn Gln Lys Cys Arg Trp Lys His Val Lys Leu Leu
 85 90 95
 Phe Glu Ile Ala Ser Ala Arg Ile Glu Glu Arg Lys Val Ser Lys Phe
 100 105 110
 Val Met Gly Lys Ser Arg Pro Gly Glu Met Thr Tyr Pro Gly Ser Arg
 115 120 125
 Gly Glu Thr Gly Thr Ala Pro Glu Pro Asp Pro Arg Cys Pro Arg Gln
 130 135 140
 Ser Asp Met Leu

4836

100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200

What is claimed is:

1. An isolated nucleic acid molecule encoding a polypeptide comprising an amino acid sequence that is at least 85% identical to a polypeptide including an amino acid sequence selected from the group consisting of SEQ ID NO:2 n , wherein n is any integer 1-3161, or the complement thereof.

2. The isolated nucleic acid molecule of claim 1, said molecule hybridizing under stringent conditions to a nucleic acid sequence complementary to a nucleic acid molecule comprising the sequence of nucleotides selected from the group consisting of SEQ ID NO:2 n , wherein n is any integer 1-3161, or the complement thereof.

3. The isolated nucleic acid molecule of claim 1, said molecule encoding a polypeptide comprising the amino acid sequence selected from the group consisting of SEQ ID NO: 2 n , wherein n is any integer 1-3161, or an amino acid sequence comprising one or more conservative substitutions in the amino acid sequence selected from the group consisting of SEQ ID NO: 2 n .

4. The isolated nucleic acid molecule of claim 1, wherein said molecule encodes a polypeptide comprising the amino acid sequence selected from the group consisting of SEQ ID NO: 2 n , wherein n is any integer 1-3161.

5. The isolated nucleic acid molecule of claim 1, wherein said molecule comprises the sequence of nucleotides selected from the group consisting of SEQ ID NO:2 n -1, wherein n is any integer 1-3161, or the complement thereof.

6. An oligonucleotide less than 100 nucleotides in length and comprising at least 10 contiguous nucleotides selected from the group consisting of SEQ ID NO:2 n -1, wherein n is any integer 1-3161, or the complement thereof.

7. A vector comprising the nucleic acid molecule of claim 1.

8. The vector of claim 7, wherein said vector is an expression vector.
9. A host cell comprising the isolated nucleic acid molecule of claim 1.
10. A substantially purified polypeptide comprising an amino acid sequence at least 80% identical to a polypeptide comprising the amino acid sequence selected from the group consisting of SEQ ID NO: 2*n*, wherein *n* is any integer 1-3161.
11. The polypeptide of claim 10, wherein said polypeptide comprises the amino acid sequence selected from the group consisting of SEQ ID NO: 2*n*, wherein *n* is any integer 1-3161.
12. An antibody that selectively binds to the polypeptide of claim 10.
13. A pharmaceutical composition comprising a therapeutically or prophylactically effective amount of a therapeutic selected from the group consisting of:
 - a) the nucleic acid of claim 1;
 - b) the polypeptide of claim 10; and
 - c) the antibody of claim 12;and a pharmaceutically acceptable carrier.
14. A kit comprising in one or more containers, a therapeutically or prophylactically effective amount of the pharmaceutical composition of claim 13.
15. A method of producing the polypeptide of claim 10, said method comprising culturing the host cell of claim 9 under conditions in which the nucleic acid molecule is expressed.
16. A method of detecting the presence of the polypeptide of claim 10 in a sample, comprising contacting the sample with a compound that selectively binds to said polypeptide under conditions allowing the formation of a complex between said polypeptide and said

compound, and detecting said complex, if present, thereby identifying said polypeptide in said sample.

17. A method of detecting the presence of a nucleic acid molecule of claim 1 in a sample, the method comprising contacting the sample with a nucleic acid probe or primer that selectively binds to the nucleic acid molecule and determining whether the nucleic acid probe or primer bound to the nucleic acid molecule of claim 1 is present in the sample.

18. A method for modulating the activity of the polypeptide of claim 10, the method comprising contacting a cell sample comprising the polypeptide of claim 10 with a compound that binds to said polypeptide in an amount sufficient to modulate the activity of the polypeptide.

19. The use of a therapeutic in the manufacture of a medicament for treating a syndrome associated with a ORFX-associated disorder, wherein said therapeutic is selected from the group consisting of:

- a) the nucleic acid of claim 1;
- b) the polypeptide of claim 10; and
- c) the antibody of claim 12.

20. A method for screening for a modulator of activity or of latency or predisposition to an ORFX-associated disorder, said method comprising:

- a) contacting a test compound with the polypeptide of claim 10; and
- b) determining if said test compound binds to said polypeptide,

wherein binding of said test compound to said polypeptide indicates the test compound is a modulator of activity or of latency or predisposition to an ORFX-associated disorder.

21. A method for screening for a modulator of activity or of latency or predisposition to an ORFX-associated disorder, said method comprising:

- a) administering a test compound to a test subject at an increased risk ORFX-associated disorder, wherein said test subject recombinantly expresses a polypeptide encoded by the nucleotide of claim 1;

- b) measuring expression the activity of said protein in said test subject;
- c) measuring the activity of said protein in a control subject that recombinantly expresses said protein and is not at increased risk for an ORFX-associated disorder; and
- d) comparing expression of said protein in said test subject and said control subject, wherein a change in the activity of said protein in said test subject relative to said control subject indicates the test compound is a modulator or of latency of predisposition to an ORFX-associated disorder.

22. The method of claim 20, wherein said test animal is a recombinant test animal that expresses a test protein transgene or expresses said transgene under the control of a promoter at an increased level relative to a wild-type test animal, and wherein said promoter is not the native gene promoter of said transgene.

23. A method for determining the presence of or predisposition to a disease associated with altered levels of a polypeptide of claim 11 in a subject, the method comprising:

- a) measuring the amount of the polypeptide in a sample from said subject; and
- b) comparing the amount of said polypeptide in step (a) to the amount of the polypeptide present in a control sample,

wherein an alteration in the level of the polypeptide in step (a) as compared to the control sample indicates the presence of or predisposition to a disease in said subject.

24. The method of claim 23, wherein said subject is a human.

25. A method for determining the presence of or predisposition to a disease associated with altered levels the nucleic acid molecule of claim 1 in a subject, the method comprising:

- a) measuring the amount of the nucleic acid in a sample from the mammalian subject; and
- b) comparing the amount of said nucleic acid in step (a) to the amount of the nucleic acid present in a control sample,

wherein an alteration in the level of the nucleic acid in step (a) as compared to the control sample indicates the presence of or predisposition to said disease in said subject.

26. The method of claim 25, wherein said subject is a human.

27. A method of treating or preventing a pathological condition associated with an ORFX-associated disorder in a subject, the method comprising administering to said subject a polypeptide of claim 10 in an amount sufficient to alleviate or prevent said pathological condition.

28. The method of claim 27, wherein said subject is a human.

29. A method of treating or preventing a pathological condition associated with an ORFX-associated disorder in a subject, the method comprising administering to said subject a nucleic acid molecule of claim 1 in an amount sufficient to alleviate or prevent said pathological condition.

30. The method of claim 29, wherein said subject is a human.

31. A method of treating or preventing a pathological condition associated with an ORFX-associated disorder in a subject, the method comprising administering to said subject an antibody of claim 12 in an amount sufficient to alleviate or prevent said pathological condition.

32. The method of claim 31, wherein said subject is a human.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
5 October 2000 (05.10.2000)

PCT

(10) International Publication Number
WO 00/58473 A3

(51) International Patent Classification⁷: C12N 15/12,
C07K 14/47, 16/18, G01N 33/566, C12Q 1/68, C12N
15/11, 15/62, A01K 67/027, A61K 38/00

Richard, A. [US/US]; 191 Leete Street, West Haven,
CT 06516 (US). LEACH, Martin [GB/US]; 884 School
Street, Webster, MA 01570 (US).

(21) International Application Number: PCT/US00/08621

(74) Agent: ELRIFI, Ivor, R.; Mintz, Levin, Cohn, Ferris,
Glovsky and Popeo, P.C., One Financial Center, Boston,
MA 02111 (US).

(22) International Filing Date: 31 March 2000 (31.03.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/127,607 31 March 1999 (31.03.1999) US
60/127,636 2 April 1999 (02.04.1999) US
60/127,728 5 April 1999 (05.04.1999) US
09/540,763 30 March 2000 (30.03.2000) US

(81) Designated States (*national*): AE, AL, AM, AT, AU, AZ,
BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK,
DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL,
IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU,
LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT,
RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA,
UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent
(AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent
(AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU,
MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM,
GA, GN, GW, ML, MR, NE, SN, TD, TG).

(63) Related by continuation (CON) or continuation-in-part
(CIP) to earlier applications:

US 60/127,607 (CIP)
Filed on 31 March 1999 (31.03.1999)
US 60/127,636 (CIP)
Filed on 2 April 1999 (02.04.1999)
US 60/127,728 (CIP)
Filed on 5 April 1999 (05.04.1999)
US 09/540,763 (CIP)
Filed on 30 March 2000 (30.03.2000)

Published:

- With international search report.
- Before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments.

(71) Applicant (*for all designated States except US*): CURA-
GEN CORPORATION [US/US]; 555 Long Wharf Drive,
11th Floor, New Haven, CT 06511 (US).

(88) Date of publication of the international search report:
25 January 2001

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): SHIMKETS,

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

(54) Title: NUCLEIC ACIDS INCLUDING OPEN READING FRAMES ENCODING POLYPEPTIDES; "ORFX"

(57) Abstract: The present invention provides open reading frames encoding isolated polypeptides, as well as polynucleotides encoding ORFX and antibodies that immunospecifically bind to ORFX or any derivative, variant, mutant, or fragment of the ORFX polypeptides, polynucleotides or antibodies. The invention additionally provides methods in which the ORFX polypeptide, polynucleotide and antibody are used in detection and treatment of a broad range of pathological states, as well as to other uses.

WO 00/58473 A3

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 00/08621

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12N15/12 C07K14/47 C07K16/18 G01N33/566 C12Q1/68
C12N15/11 C12N15/62 A01K67/027 A61K38/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N C07K G01N A01K A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

BIOSIS, EMBASE, MEDLINE, CAB Data, PAJ, EPO-Internal, WPI Data, STRAND

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	COLE S.T.: "Deciphering the biology of Mycobacterium tuberculosis from the complete genome sequence." NATURE, vol. 393, 11 June 1998 (1998-06-11), XP002144873 sequence	

A	LAMERDIN J.E.: "Sequence analysis of a 3.5 Mb contig in human 19p13.3 containing a serine protease gene cluster." EMEST DATABASE ENTRY, 8 February 1999 (1999-02-08), XP002144874 sequence	

	-/--	

☒ Further documents are listed in the continuation of box C.

☐ Patent family members are listed in annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
 "E" earlier document but published on or after the international filing date
 "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
 "O" document referring to an oral disclosure, use, exhibition or other means
 "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
 "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
 "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
 "&" document member of the same patent family

Date of the actual completion of the international search

21 August 2000

Date of mailing of the international search report

23.11.00

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Hix, R